

Kawasaki

Assembly Instructions

Model:	ZR900C/E
Description:	Emblem (Fuel Tank)
Part Number:	99994-1020
Flat Rate Time(Hr):	0.6

Before you begin, read through these instructions and check that all parts are present. Please note that Kawasaki cannot assume any responsibility for damage resulting from incorrect installation.

Kawasaki recommends that all genuine accessories should be fitted by an authorized Kawasaki dealer.


The following symbols indicate the information for proper installation and operation in this instruction.

NOTE : *NOTE indicates information that may help or guide you in the operation or service of the vehicle.*

● Indicates a procedural step or work to be done.

○ Indicates a procedural sub-step or how to do the work of the procedural step it follows. It also precedes the text of a NOTE.

Parts List				
No.	Component Name	Part No.	Qty	Remark
1	Emblem	56014-0009	2	



S106D927 P


Installation Instructions

When the emblem has already been pasted:

- Paste the suitable tape [B] to the front and lower side of the emblem [A] as shown.
 - Left Side [C]
 - Right Side [D]
- Remove the emblem.

NOTE

- Using a cleaning fluid before pasting this kit, clean off any oil or dirt on the pasting surface and dry them with a clean cloth.



- Before pasting, bend the emblem less than the curved surface of the fuel tank so that the end of the emblem will not floating up.

Left Side:

- Attach the emblem [1] to the fuel tank along the tape with reference to the corner [A] of the pasted tape.
- Paste the both ends of the emblem and press the emblem strongly so that the center part does not floating up.




Right Side:

- Fit the upper right end [A] and lower right end [B] of the emblem [1] to the pasted tape as shown, and paste the emblem to the fuel tank.
- Paste the both ends of the emblem and press the emblem strongly so that the center part does not floating up.
- Remove the pasted tape on both side.

NOTE

- To prevent the emblem from peeling off, do not touch or washing it for 24 hours after pasting.




When no emblem in the fuel tank:

NOTE

- *Using a cleaning fluid before pasting this kit, clean off any oil or dirt on the pasting surface and dry them with a clean cloth.*
- Before pasting, bend the emblem less than the curved surface of the fuel tank so that the end of the emblem will not floating up.
- Paste the emblem [1] to the fuel tank as shown.
 - 91 mm (3.58 in.) [A]
 - 102 mm (4.02 in.) [B]
 - 101 mm (3.98 in.) [C]
- Paste the both ends of the emblem and press the emblem strongly so that the center part does not floating up.

NOTE

- *To prevent the emblem from peeling off, do not touch or washing it for 24 hours after pasting.*



S106776C S