


Mule 2020 PARTS DIAGRAM

Crankshaft/Piston

E1320



Mule 2020 PARTS LIST

Crankshaft/Piston

ITEM NAME	PART NUMBER	QUANTITY
PISTON-ENGINE,STD (Ref # 13001)	13001-1304	1
PIN-PISTON (Ref # 13002)	13002-2070	1
RING-SET-PISTON,STD (Ref # 13008)	13008-1117	1
RING-SET-PISTON LL,O/S,0.75 (Ref # 13024)	13024-1086	1
RING-SET-PISTON L,O/S,0.25 (Ref # 13025)	13025-1103	1
RING-SET-PISTON L,O/S,0.50 (Ref # 13025A)	13025-1104	1
PISTON-ENGINE LL,O/S,0.75 (Ref # 13027)	13027-2054	1
PISTON-ENGINE L,O/S,0.25 (Ref # 13029)	13029-2078	1
PISTON-ENGINE L,O/S,0.50 (Ref # 13029A)	13029-2079	1
CRANKSHAFT-COMP (Ref # 13031)	13031-1296	1
HOLDER (Ref # 13091)	13091-1616	1
SHAFT (Ref # 13107)	13107-2232	1
BALANCER-COMP (Ref # 13164)	13164-1004	1
ROD-ASSY-CONNECTING (Ref # 13251)	13251-6010	1
ROD-COMP-CONNECTING (Ref # 49072)	49072-1052	2
GEAR-HELICAL,26T (Ref # 59056)	59056-1051	1
BOLT,6X16 (Ref # 92002)	92002-1099	4
BOLT,6X25 (Ref # 92002A)	92002-1582	1
SHIM,T=1.18 (Ref # 92025)	92025-2183	AR
SHIM,T=1.25 (Ref # 92025A)	92025-2184	AR
SHIM,T=1.32 (Ref # 92025B)	92025-2185	AR
SHIM,T=1.39 (Ref # 92025C)	92025-2186	AR
SHIM,T=1.46 (Ref # 92025D)	92025-2187	AR
SHIM,T=1.53 (Ref # 92025E)	92025-2188	AR
SHIM,T=1.60 (Ref # 92025F)	92025-2189	AR
SHIM,T=1.67 (Ref # 92025G)	92025-2190	AR
SHIM,T=1.74 (Ref # 92025H)	92025-2191	AR
SHIM,T=1.215 (Ref # 92025I)	92025-2197	AR
SHIM,T=1.285 (Ref # 92025J)	92025-2198	AR

Mule 2020 PARTS LIST

Crankshaft/Piston

ITEM NAME	PART NUMBER	QUANTITY
SHIM,T=1.355 (Ref # 92025K)	92025-2199	AR
SHIM,T=1.425 (Ref # 92025L)	92025-2200	AR
SHIM,T=1.495 (Ref # 92025M)	92025-2201	AR
SHIM,T=1.565 (Ref # 92025N)	92025-2202	AR
SHIM,T=1.635 (Ref # 92025O)	92025-2203	AR
SHIM,T=1.705 (Ref # 92025P)	92025-2204	AR
SPACER,MAGNETO,T=3.5 (Ref # 92026)	92026-2160	1
SPACER,T=2.0 (Ref # 92026A)	92026-2161	1
RING-SNAP (Ref # 92033)	92033-2080	2
KEY,WOODRUFF (Ref # 92038)	92038-2094	1
PIN,8.2X10X14 (Ref # 92043)	92043-1264	2
BOLT,6X65 (Ref # 92150)	92150-1279	2
BOLT,6X85 (Ref # 92150A)	92150-1280	2
BOLT,8X42 (Ref # 92150B)	92150-2193	2