## **MULE PRO-FXR™**





\$15,999



METALLIC CARBON GRAY



## **POWER**

**Engine** 4-stroke, 3-cylinder, DOHC, liquid-cooled, gas

Displacement 812cc

**Maximum Torque** 48.0 lb-ft @ 3500 rpm

**Bore x Stroke** 2.83x2.62 in

**Compression Ratio** 9.5:1

**Fuel System** DFI® with 34mm throttle body

**Transmission** Continuously Variable Transmission (CVT) with (H,L,N,R)

**Final Drive** Selectable 2WD/4WD, shaft. Dual mode rear differential

with differential lock

**Engine Braking** 

**Alternator Output** 75 amp

(max)

**Ground Clearance** 10.8 in

**Fuel Capacity** 7.9 gal

**Turning Radius** 14.0 ft

**Cargo Bed** 37.6 x 53.3 x 11.0 in **Dimensions (LxWxH)** 

**Cargo Bed Load** 

Capacity

**Payload Capacity Seating Capacity** 

**Towing Capacity** 

2000 lb

Lighting

(2) Halogen headlights. (2) LED headlights

999 lb (600.0 lb for California models)

1616.3 lb (1263.5 for California models)

## CAPABILITY

Front Suspension / **Wheel Travel** 

Double wishbone/8.7 in

Rear Suspension / **Wheel Travel** 

**Rear Tires** 

Double wishbone/8.5 (L) /8.7 (R) in

**Front Tires** 27x9.00-12, radial

27x11.00-12, radial Electric Power Steering (EPS), Tilt steering Steering

**Front Brakes** Dual Disc, 2 piston caliper

**Rear Brakes** Dual Disc, 1 piston caliper

Independent, Mechanical Disc **Park Brake Type** 

## **DETAILS**

**Overall Length** 121.5 in

**Overall Width** 64.0 in

**Overall Height** 77.2 in

**Curb Weight** 1768.4 lb\*

Wheelbase 79.7 in

Instruments Multi-function display includes digital speedometer,

fuel gauge, odometer, hour meter, clock, dual trip meters, 2WD/4WD indicator, water temperature warning indicator, oil pressure warning indicator, fuel injection warning indicator, CVT and EPS warning indicators, neutral, reverse and parking indicators, seatbelt

reminder lamps

**Wheel Type** Alloy

**Color Choices** Metallic Carbon Gray

Scan with camera to view videos, key features and more.



\*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied). All MULE™ PRO Series side x side's Rollover Protective Structure (ROPS) meets the performance requirements of ISO 3471

KAWASAKI CARES: Read Owner's Manual and all on-product warnings. Always wear protective gear appropriate for the use of this vehicle. Never operate under the influence of drugs or alcohol. Protect the environment. The Kawasaki MULE™ side x side is an off- highway vehicle only, and is not designed, equipped or manufactured for use on public streets, roads or highways. Obey the laws and regulations that control the use of your vehicle. ©2025 Kawasaki Motors Corp., U.S.A. Specifications subject to change. Visit Kawasaki.com for full product details.