2022 **MULE SX**[™]







POWER

Engine	4-stroke, single-cylinder, OHV, air-cooled
Displacement	401cc
Maximum Torque	20.6 lb-ft @ 2200 rpm
Bore x Stroke	3.23x2.99 in
Compression Ratio	8.3:1
Fuel System	Nikki 6C1026 carburetor
Transmission	Continuously Variable Transmission (CVT) with (H,N,R)
Final Drive	2WD, shaft. Dual mode rear differential with differential lock
Engine Braking	No
Alternator Output (max)	17 amp

Park Brake Type	Independent, Mechanical Drum
Ground Clearance	6.1 in
Fuel Capacity	4.2 gal
Turning Radius	10.8 ft
Cargo Bed Dimensions (LxWxH)	35.6 x 40.9 x 9.6 in
Cargo Bed Load Capacity	399 lb
Payload Capacity	926 lb
Seating Capacity	2
Towing Capacity	1100 lb*
Lighting	(2) Halogen headlights, tail/brake lights

DETAILS

CAPABILITY				
		Overall Length	106.7 in	
Front Suspension / Wheel Travel	MacPherson Strut/3.1 in	Overall Width	52.6 in	
		Overall Height	70.1 in	
Rear Suspension / Wheel Travel	Unit Swingarm/3.1 in	Curb Weight	967.6 lb**	
Front Tires	22x9.00-10	Wheelbase	70.1 in	
Rear Tires	22x11.00-10	Instruments	Fuel gauge, hour meter, oil temp light, parking brake light	
Steering	Rack-and-pinion	Wheel Type	Steel	
Front Brakes	Drum	Color Choices	Timberline Green, Dark Royal Red	
Rear Brakes	Drum			

*Requires optional hitch.



**Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied). All MULE SXTM Series side x side's Rollover Protective Structure (ROPS) meets the performance requirements of SAE J1194. KAWASAKI CARES: Read Owner's Manual and all on-product warnings. Always wear protective gear appropriate for the use of this vehicle. Never operate under the

influence of drugs or alcohol. Protect the environment. The Kawasaki MULETM side x side is an off- highway vehicle only, and is not designed, equipped or manufactured for use on public streets, roads or highways. Obey the laws and regulations that control the use of your vehicle. ©2025 Kawasaki Motors Corp., U.S.A. Specifications subject to change. Visit Kawasaki.com for full product details.