KLX®300SM





MSRP \$5.849

NEON GREEN/EBONY



BATTLE GRAY/EBONY



110/70-17

130/70-17

caliper

caliper

Single 300mm petal disc with a dual-piston

Single 240mm petal disc with single-piston

POWER

Engine 4-stroke, single-cylinder, DOHC, liquid-

cooled

Displacement 292cc

Bore x Stroke 78.0 x 61.2mm

Compression

Ratio

11.1:1

Maximum **Torque**

17.7 lb-ft @ 7,000 rpm

Fuel System

DFI® with 34mm Keihin throttle body

Ignition

CDI

Transmission

6-speed, return shift with wet multi-disc

manual clutch

Final Drive

Chain

DETAILS

Front Tire

Rear Tire

Front Brakes

Rear Brakes

Frame Type Tubular, semi-double cradle

25.0°/2.8 in Rake/Trail

Overall Length 83.3 in

Overall Width 31.1 in

Overall Height 44.7 in

Ground Clearance

Seat Height

Dry Weight

33.9 in 286.6 lb**

9.3 in

Curb Weight

304.3 lb*

Fuel Capacity

2.0 gal

Wheelbase

56.5 in

Color Choices

Neon Green/Ebony, Battle Gray/Ebony

PERFORMANCE

Suspension / **Wheel Travel** 43mm inverted cartridge fork with adjustable compression damping/9.1 in

Rear Suspension / **Wheel Travel** Uni-Trak® gas charged shock with piggyback reservoir with adjustable rebound damping and spring preload/8.1 in

Scan with camera to view videos, key features and more.

